


## 20046501

# SIMPLEHOME FLUSH-MOUNTED MODULE WITH 5 DIGITAL INPUTS (5I)



SimpleHome module with 5 digital inputs (4 normal + 1 scenario) for the connection of up to 5 buttons in flush-mounted or surface-mounted boxes. Dimensions: 41x29x9 mm. For connection to SimpleHome BUS. Consumption:

# **COMELIT**

## **HOME AUTOMATION**

LIGHTS MANAGEMENT, AUTOMATIONS, LOADS



## 20046501

## SIMPLEHOME FLUSH-MOUNTED MODULE WITH 5 DIGITAL **INPUTS (5I)**

Flush-mounted

Yes

FUNCTIONS	
Digital inputs configured via software nc/no	Yes
BUS address programming via dip- switch	Yes
Lights management	Yes
Scenario management	Yes

HARDWARE SPECIFICATIONS		
Removable terminals	Yes	
GENERAL DATA		
Height (mm)	29	
Width (mm)	41	
Depth (mm)	9	
Operating temperature (°C)	-10 ÷ 50	

	COMPATIBILITY
Home Automation system	Yes

MOUNTING/INSTALLATION		
Wall-mounted	Yes	
CONNECTIVITY		
No. of Simplehome buses (n°)	1	
Type of connections/ports	1bus, 6l	
Digital inputs (n°)	5	
Max distance from digital input (m)	25	

## **TECHNICAL CHARACTERISTICS**

The technical specifications are subject to change without prior notice.



## **HOME AUTOMATION**

LIGHTS MANAGEMENT, AUTOMATIONS, LOADS



#### 20046501

## SIMPLEHOME FLUSH-MOUNTED MODULE WITH 5 DIGITAL INPUTS (5I)

Number of digital inputs (n°)	4
Number of scenario inputs (n°)	1