**3460HEV**

VIDEO ENT. PANEL FOR EMERGENCY CALLS. VIP SYSTEM

Stainless steel entrance panel with a single call button and indicator LEDs for call forwarded and call answered. Complete with POE audio/video module for ViP system and flush-mounted box. "EMERGENCY" model with Braille text. Can be wall-mounted using accessory Art. 3461. POE entrance panel. Compatible with H.264 video format. Dimensions 228.6x177.8x3mm.

3460HEV

VIDEO ENT. PANEL FOR EMERGENCY CALLS. VIP SYSTEM

GENERAL DATA	
Type	Monoblock
Height (mm)	229
Width (mm)	180
Depth (mm)	59
Product weight (g)	2000
Product color	Steel
Flush-mounted	Yes
Wall-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS	
Compatible audio and audio/video units	Art.4682HD
ViP	Yes

AUDIO FEATURES	
Technologies implemented	Full-Duplex, Echo canceling

CAMERA FEATURES	
Camera	Colours
Lens optical dimensions (mm)	2.8
Video compression	H.264

ELECTRICAL CHARACTERISTICS	
Type of power supply	PoE, External power supply
Supply voltage	30÷57VDC
Absorption in stand-by (W)	3.5
Maximum absorption (W)	7

HARDWARE FEATURES	
Call type	Push-buttons
Type of buttons	Mechanical

The technical specifications are subject to change without prior notice.

3460HEV

VIDEO ENT. PANEL FOR EMERGENCY CALLS. VIP SYSTEM

HARDWARE FEATURES

Number of push-buttons (n°)	1
Communication ports	Ethernet

NETWORK AND COMMUNICATION PROTOCOLS

Type of LAN network	Ethernet 10 Mbit/s
IP address assignment	Auto IP, DHCP, Static

PROGRAMMING MODE

ViP Manager software	Yes

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP54
Vandal Resistant rating (IK code)	IK08
Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)
EN regulations	IEC/EN 62820-2, IEC/EN 62820-1-2

GENERAL FEATURES

Self Activation	Yes
Switchboard call function	Yes
Actuator control function	Yes

3460HEV

VIDEO ENT. PANEL FOR EMERGENCY CALLS. VIP SYSTEM

ACCESSORIES

3463   **Emergency entrance panel column**

Stainless steel surface-mounted column. To be finished with an emergency entrance panel and flashing light. Users in difficulty can use the call button on the entrance panel to send a call to request help from the emergency services. Dimensions: 250x702x100 mm

3461   **WALL HOUSING FOR EMERGENCY AND HELP POINT**

Stainless steel accessory for wall-mounted entrance panels Art. 3460EA, 3460HEV, 3460HA, 3460HHV. Dimensions 175.8x226.6x56.6mm

The technical specifications are subject to change without prior notice.