




IX0212

## SWITCH FRONT PLATE WITH 12 BUTTONS - 2 COLUMNS



Front plate for Switch entrance panel in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 12 pre-fitted, pre-wired buttons, arranged in 2 columns. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flush-mounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): 216.4 x 395.7 x 2.5 mm.

### AWARDS

DESIGN  
MILANO


**IX0212**
**SWITCH FRONT PLATE WITH 12 BUTTONS - 2 COLUMNS**
**GENERAL DATA**

Type:	Monoblock
Product height (mm):	395,73
Product width (mm):	216,41
Product depth (mm):	2,54
Product colour:	Steel
Material:	AISI 316 stainless steel
Flush mount:	Yes, with a dedicated accessory
Wall mounting:	Yes, with a dedicated accessory

**COMPATIBLE SYSTEMS**

Compatible audio and audio/video units:	Art. 1682, Art. 1621, Art. 1622, Art. 1622VC, Art. 4680C, Art. 4681, Art. 1682HVC, Art. 4682HD
Audio/video Simplebus 2 with power supply art. 4888C:	Yes
Audio/video Simplebus 2 with power supply art. 1210:	Yes
Simplebus 2 audio/video kit with power supply art. 1209:	Yes
Audio Simplebus 2 with power supply art. 1210:	Yes
Audio Simplebus 1:	Yes
VIP:	Yes

**AUDIO FEATURES**

Technologies implemented:	Echo canceling
---------------------------	----------------

**HARDWARE FEATURES**

Call type:	Push-buttons
Type of push-buttons:	Mechanical
Number of push-buttons:	12
Backlight colour:	White

**ENVIRONMENTAL AND COMPLIANCE FEATURES**

IK vandal-proof protection degree:	IK08
Operating temperature (°C):	-25 ÷ 55
Operating humidity (RH max - %):	25 ÷ 75
Environmental class:	III



IX0212

## SWITCH FRONT PLATE WITH 12 BUTTONS - 2 COLUMNS

ACCESSORIES



**IX9153**

FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 12-14-16-18

Flush-mounted box for entrance panels art. IX0212, IX0214, IX0216 and IX0218 with 12-14-16-18 buttons.

Dimensions: 190.4x369.7x56 mm.