

**UT9201****MODULE FOR UT9213, UT9214 BUTTONS, ULTRA**

Module for large call buttons for Ultra entrance panel, compatible with all systems. Designed for 1 large single call button or for 2 double-height buttons, made using professional-grade plastic given an anti-yellowing and anti-dulling treatment. For completion with 1 large single call button art. UT9213 (1 call), 2 double-height buttons art. UT9214 (2 calls) or with caps art. UT9222, UT9223, UT9222M or UT9223M. Automatic nameplate backlight switch-off during daytime hours via the twilight sensor for the paired audio or audio/video module. White nameplate lighting. Dimensions (L x H x D): 100 x 90 x 35 mm.

AWARDSDESIGN
MILANO



UT9201

MODULE FOR UT9213, UT9214 BUTTONS, ULTRA

GENERAL DATA

Type	Modular
Height (mm)	90
Width (mm)	100
Depth (mm)	35
Product color	Transparent
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

Audio/video Simplebus 2 with power supply art. 4888C	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

ELECTRICAL CHARACTERISTICS

Type of power supply	Power supply from video door entry bus
Supply voltage	33VDC
Absorption in stand-by (W)	0.4
Maximum absorption (W)	0.4

HARDWARE FEATURES

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	8
Backlight colour	White, Off

SETTINGS



UT9201

MODULE FOR UT9213, UT9214 BUTTONS, ULTRA

Backlight brightness	Yes
----------------------	-----

PROGRAMMING MODE

ViP Manager software	Yes
----------------------	-----

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)



UT9201

MODULE FOR UT9213, UT9214 BUTTONS, ULTRA

ACCESSORIES

UT9223M TRIPLE-HEIGHT ULTRA FULL METAL CAP



"Full Metal version triple-height cap for Ultra entrance panel. Made with aluminium coating to increase resistance to impact and polymethyl methacrylate treated to increase resistance to UV rays while preventing yellowing and dulling."

UT9223 TRIPLE-HEIGHT ULTRA PLASTIC CAP



"Triple-height cap for Ultra entrance panel. Made using polymethyl methacrylate given a treatment for resistance to UV rays while preventing yellowing and dulling."

UT9222M DOUBLE-HEIGHT ULTRA FULL METAL CAP



"Full Metal version double-height cap for Ultra entrance panel. Made with aluminium coating to increase resistance to impact and polymethyl methacrylate treated to increase resistance to UV rays while preventing yellowing and dulling."

UT9222 DOUBLE-HEIGHT ULTRA PLASTIC CAP



"Double-height cap for Ultra entrance panel. Made using polymethyl methacrylate given a treatment for resistance to UV rays while preventing yellowing and dulling."

UT9214 DOUBLE-HEIGHT ULTRA BUTTON



Double-height button for Ultra entrance panel. For use with button module art. UT9201. Made using polymethyl methacrylate given a treatment for resistance to UV rays while preventing yellowing and dulling. Double nameplate (blank and with bell symbol) supplied. Easy nameplate replacement.



UT9201

MODULE FOR UT9213, UT9214 BUTTONS, ULTRA

ACCESSORIES



UT9213 LARGE SINGLE ULTRA BUTTON

Large single button for Ultra entrance panel. For use with button module art. UT9201. Made using polymethyl methacrylate given a treatment for resistance to UV rays while preventing yellowing and dulling. Double nameplate (blank and with bell symbol) supplied. Easy nameplate replacement.